

LK-1900C Serise

花样一览表 / 压脚一览表

目 录

L K - 1 9 0 0 C Series

P.2~P.3 LK-1900C 标准花样一览表①② (No.1~No.51)

LK-1900CB 标准花样一览表①② (No.1~No.50)

P.4~P.5 LK-1900C 标准花样一览表③④ (No.52~No.100)

P.6 LK-1900C, LK-1900CB 压脚一览表

L K - 1 9 0 3 C Series

P.7 LK-1903C 缝制花样一览表 (No.1~No.50)

LK-1903CB 缝制花样一览表 (No.1~No.22、
No.34~No.45)

LK-1900C 标准花样一览表① (No.1~No.26, No.51)

LK-1900CB 标准花样一览表① (No.1~No.26)

1. 缝制尺寸为放大率 100%的尺寸。
2. 压脚编号请参照第 6 页的压脚一览表。
3. ☆标记图为加工半成品时使用。
4. * 标记图案为缝制牛仔布料用。
5. No.51 为无挑线用。无法为 LK-1900CB 选择。

	No.	落针图	针数	缝制尺寸 (mm)		压脚号码
				纵	横	
大加固	1(51)		42	2.0	16	1
						2
						3
	2		42	2.0	10	1
						2
						3
	3*		42	2.5	16	1
						4
	4*		42	3.0	24	6
						7
5		28	2.0	10	1	
					2	
6*		28	2.5	16	1	
					4	
7		36	2.0	10	1	
					2	
8		36	2.5	16	1	
					4	
9		56	3.0	24	6	
					7	
10*		64	3.0	24	6	
					7	
小加固	11		21	2.5	6	8
	12		28	2.5	6	8
	13		36	2.5	6	8
针织加固	14		14	2.0	8	5
	15		21	2.0	8	5
	16		28	2.0	8	5

	No.	落针图	针数	缝制尺寸 (mm)		压脚号码
				纵	横	
线加固	17		21	0	0	1
						2
						3
	18		28	0	10	1
						2
						3
19		28	0	25	6	
					7	
20		36	0	25	6	
					7	
21		41	0	25	6	
					7	
22		44	0	35	☆	
纵加固	23		28	20	4.0	9
						10
	24		36	20	4.0	9
						10
	25		42	20	4.0	9
						10
26		56	20	4.0	9	
					10	



LK-1900C 标准花样一览表② (No.27~No.50)

LK-1900CB 标准花样一览表② (No.27~No.50)

	No.	落针图	针数	缝制尺寸 (mm)		压脚号码
				纵	横	
纵线加固	27		18	20	0	11
	28		21	10	0	11
	29		21	20	0	11
	30		28	20	0	11
半月形加固	31		52	7	10	13
	32		63	7	12	13
	33		24	6	10	13
	34		31	6	12	13
	35		48	10	7	14
	36		48	10	7	14
大加固	37		90	3	24	6 7
针织加固	38		28	2.0	8	5
圆形加固	39		28	ø12	ø12	16
	40		48	ø12	ø12	16

	No.	落针图	针数	缝制尺寸 (mm)		压脚号码
				纵	横	
纵加固	41		29	20	2.5	12
	42		39	25	2.5	12
	43		45	25	2.5	12
	44		58	30	2.5	12
	45		75	30	2.5	12
	46		42	30	2.5	12
	菊花锁眼	47		91	外形 ø8 内径	
48			99	15		
49			148	15		
50			164	15		

LK-1900C 标准花样一览表③ (No.52~No.74)

	No.	落针图	针数	缝制尺寸 (mm)		压脚号码
				纵	横	
交叉	52		162	12	12	☆
	53		70	10	10	☆
	54		93	9.6	9.6	☆
纵线加固宽幅	55		170	28	12.6	☆
	56		184	26	12.6	☆
	57		46	15	9	☆
	58		70	25	9	☆
L字	59		60	11.2	11.2	☆
	60		78	15.2	15.2	☆
	61		60	11.2	11.2	☆
	62		78	15.2	15.2	☆

	No.	落针图	针数	缝制尺寸 (mm)		压脚号码
				纵	横	
菊花锁眼	63		93	ø8	ø2	15
	64		93	ø8	ø2.5	15
	65		93	ø8	ø3	15
	66		101	ø8	ø2	15
	67		101	ø8	ø2.5	15
	68		101	ø8	ø3	15
	69		150	ø8	ø2	15
	70		150	ø8	ø2.5	15
	71		150	ø8	ø3	15
	松叶	72		173	10	11.6
半月形加固	73		55	7	10	13
	74		65	7	12	13

LK-1900C 标准花样一览表④ (No.75~No.100)

	No.	落针图	针数	缝制尺寸 (mm)		压脚号码
				纵	横	
摆动	75		76	10	26	☆
虚拟扣眼	76		116	3	20.5	6/7
	77		56	1.6	19.8	6/7
孔眼流线加固	78		142	25	6.6	☆
	79		162	25	6.6	☆
	80		183	25	6.6	☆
孔眼直线加固	81		143	25	6.6	☆
	82		165	25	6.6	☆
平眼孔	83		262	20	6	☆
四边形与交叉	84		72	25	25	☆
	85		91	25	25	☆
	86		84	16	16	☆
	87		105	26	30	☆
	88		65	30	40	☆

	No.	落针图	针数	缝制尺寸 (mm)		压脚号码
				纵	横	
四边形与交叉	89		97	30	30	☆
	90		77	30	30	☆
四边形	91		41	13	30	☆
	92		53	30	40	☆
	93		37	30	30	☆
	94		29	30	30	☆
蝶形	95		52	25	25	☆
	96		49	30	40	☆
	97		45	30	30	☆
纵向蝶形	98		61	25	25	☆
	99		56	30	30	☆
	100		44	30	30	☆

LK-1900C, LK-1900CB 压脚一览表


压脚号码	1	2	3	4	5	6	7	8
压布压脚	13518659 (组)			13548557 (组)	13542964 (组)	13548151 (组)		13542451 (组)
压布底板	14116107	14116404	14116800	14116305	14116206	13548003	13554803	14116602
		(无打褶)	(无打褶)					
护指器*	26224204					13548300		13533104
缝制款式	S	F	F	H	—	S	H	S
S (标准)	机头装配	—	—	—	—	选购件	—	选购件
H (厚料)	—	—	—	选购件	—	—	机头装配	—
F (内衣)	—	选购件	机头装配	—	—	—	—	—
M (针织)	—	—	—	—	选购件	—	—	—
W (厚料大旋梭)	—	—	—	选购件	—	—	机头装配	—
BS (防鸟巢/短线头型)	机头装配	—	—	—	—	选购件	—	选购件
BF (防鸟巢/短线头型)	—	选购件	机头装配	—	—	—	—	—

压脚号码	9	10	11	12	13	14	15	16
压布压脚	13571955 (组)		13561360 (组)	14137509 (右) 14137608 (左)	40021871 (右) 40021872 (左)	40021874 (右) 40021875 (左)	40021877 (右) 40021878 (左)	40021880 (右) 40021881 (左)
压布底板	14116503	14116909	14116701	14137707	40021873	40021876	40021879	40021882
	(无打褶)	(无打褶)	(无打褶)	(无打褶)	(无打褶)	(无打褶)	(无打褶)	(无打褶)
BS (防鸟巢/短线头型)	—	—	—	—	40158195	40158196	40158196	40158196
护指器*	13573407				26224204			
缝制款式	F	F	F	H	S	S	S	S
S (标准)	—	—	—	—	选购件	选购件	选购件	选购件
H (厚料)	—	—	—	—	—	—	—	—
F (内衣)	选购件	附带(出厂)	选购件	选购件	—	—	—	—
M (针织)	—	—	—	—	—	—	—	—
W (厚料大旋梭)	—	—	—	—	—	—	—	—
BS (防鸟巢/短线头型)	—	—	—	—	选购件	选购件	选购件	选购件
BF (防鸟巢/短线头型)	选购件	附带(出厂)	选购件	选购件	—	—	—	—

*在更换压脚时, 请安装适合各压脚的护指器。

LK-1903C 缝制花样一览表 (No.1~No.50)

LK-1903CB 缝制花样一览表 (No.1~No.22、No.34~No.45)



图案号	缝制花样	缝线 (根)	标准 缝制长度 X(mm)	标准 缝制长度 Y(mm)	支持的型号	
					LK- 1903C	LK- 1903CB
1·34		6-6	3.4	3.4	○	○
2·35		8-8	3.4	3.4	○	○
3		10-10	3.4	3.4	○	○
4		12-12	3.4	3.4	○	○
5·36		6-6	3.4	3.4	○	○
6·37		8-8	3.4	3.4	○	○
7		10-10	3.4	3.4	○	○
8		12-12	3.4	3.4	○	○
9·38		6-6	3.4	3.4	○	○
10·39		8-8	3.4	3.4	○	○
11		10-10	3.4	3.4	○	○
12·40		6-6	3.4	3.4	○	○
13·41		8-8	3.4	3.4	○	○
14		10-10	3.4	3.4	○	○
15·42		6-6	3.4	3.4	○	○
16·43		8-8	3.4	3.4	○	○
17		10-10	3.4	3.4	○	○

图案号	缝制花样	缝线 (根)	标准 缝制长度 X(mm)	标准 缝制长度 Y(mm)	支持的型号	
					LK- 1903C	LK- 1903CB
18·44		6	3.4	0	○	○
19·45		8	3.4	0	○	○
20		10	3.4	0	○	○
21		12	3.4	0	○	○
22		16	3.4	0	○	○
23·46		6	0	3.4	○	×
24		10	0	3.4	○	×
25		12	0	3.4	○	×
26·47		6-6	3.4	3.4	○	×
27		10-10	3.4	3.4	○	×
28·48		6-6	3.4	3.4	○	×
29		10-10	3.4	3.4	○	×
30·49		5-5-5	3.0	2.5	○	×
31		8-8-8	3.0	2.5	○	×
32·50		5-5-5	3.0	2.5	○	×
33		8-8-8	3.0	2.5	○	×

●标准长度X, Y扩大缩小率100%时。花样No.34-No.50, 请在扭空小的时候(φ1.5mm以下)使用。